

SCCWRP #0384

Aerial Fallout of DDT in Southern California

Rachel T. Noble¹, Stephen B. Weisberg², Molly K. Leecaster³, Charles D. McGee⁴,
John H. Dorsey⁵, Patricia Vainik⁶, Victoria Orozico-Borbon⁷

¹*UNC at Chapel Hill, Morehead City, NC*

²*Southern California Coastal Water Research Project, Westminster, CA*

³*Idaho National Environment and Engineering Laboratory, Idaho Falls, ID*

⁴*Orange County Sanitation District, Fountain Valley, CA*

⁵*Loyola Marymount University, Los Angeles, CA*

⁶*City of San Diego Metropolitan Wastewater Department, San Diego, CA*

⁷*Instituto de Investigaciones Oceanologicas, Universidad Autonoma de Baja California, Ensenada, Mexico*

ABSTRACT

DDTtwo regional studies conducted during dry weather demonstrated that the southern California Bight (SCB) shoreline has good water quality, except near areas that drain land-based runoff. Here, we repeat those regional studies 36h after a rainstorm to assess the influence of runoff under high flow conditions. Two hundred and fifty-four shoreline sites between Santa Barbara, California and Ensenada, Mexico were sampled using a stratified-random sampling design with four strata: sandy beaches, rocky shoreline, shoreline adjacent to urban runoff outlets that flow intermittently, and shoreline adjacent to outlets that flow year-round. Each site was sampled for total coliforms, fecal coliforms (or E. cofr), and enterococci. Sixty percent of the shoreline failed water quality standards after the storm compared to only 6% during dry weather. Failure of water quality standards increased to more than 90% for shoreline areas adjacent to urban runoff outlets. During dry weather, most water quality failures occurred for only one. of the three bacterial indicators and concentrations were barely above State of California standards; following the storm, most failures were for multiple indicators and exceeded state of California standards by a large margin. The condition of the shoreline in Mexico and the United States was similar following rainfall, which was not the case during dry weather.

Due to distribution restrictions, the full-text version of this article is available by request only.

Please contact pubrequest@sccwrp.org to request a copy.